

Bibliography

Abbott, L. F., Varela, J. A., Sen, K., and Nelson, S. B. (1997). Synaptic depression and cortical gain control. *Science* **275**:220–224.

Abeles, M. (1991). *Corticonics, Quantitative Study of the Cerebral Cortex*. Cambridge University Press.

Abeles, M. and Goldstein, M. H. (1972). Responses of single units in the primary auditory cortex of the cat to tones and to tone pairs. *Brain Res* **42**:337–352.

Adelson, E. H. and Bergen, J. R. (1985). Spatiotemporal energy models for the perception of motion. *J Opt Soc Am A* **2**:284–299.

Aertsen, A. M. and Johannesma, P. I. (1981). The spectro-temporal receptive field. A functional characteristic of auditory neurons. *Biol Cybern* **42**:133–143.

Agüera y Arcas, B. and Fairhall, A. L. (2003). What causes a neuron to spike? *Neural Comput* **15**:1789–1807.

Agüera y Arcas, B., Fairhall, A. L., and Bialek, W. (2003). Computation in a single neuron: Hodgkin and Huxley revisited. *Neural Comput* **15**:1715–1749.

Aitkin, L. M., Dunlop, C. W., and Webster, W. R. (1966). Click-evoked response patterns of single units in the medial geniculate body of the cat. *J Neurophysiol* **29**:109–123.

Aitkin, L. M. and Webster, W. R. (1971). Tonotopic organization in the medial geniculate body of the cat. *Brain Res* **26**:402–405.

- Akaike, H. (1974). A new look at the statistical model identification. *IEEE Trans on Automatic Control* **AC-19**:716–723.
- Albus, J. S. (1971). A theory of cerebellar function. *Math Biosci* **10**:25–61.
- Algazi, V. R., Duda, R. O., Thompson, D. M., and Avendano, C. (2001). The CIPIC HRTF database. *Proc IEEE WASPPA* pages 99–102.
- Altman, J. A., Syka, J., and Shmigidina, G. N. (1970a). Characteristics of the neuronal activity in the medial geniculate body of the cat during monaural and binaural stimulation. *Physiol Bohemoslov* **19**:177–184.
- Altman, J. A., Syka, J., and Shmigidina, G. N. (1970b). Neuronal activity in the medial geniculate body of the cat during monaural and binaural stimulation. *Exp Brain Res* **10**:81–93.
- Amari, S. and Cichocki, A. (1998). Blind signal processing—neural network approaches. *Proc IEEE* **86**:2026–2048. Special issue on Blind Identification and Estimation.
- Amari, S., Cichocki, A., and Yang, H. H. (1996). A new learning algorithm for blind signal separation. In Touretzky, D. S., Mozer, M. C., and Hasselmo, M. E., editors, *Adv Neural Info Proc Syst* volume 8 pages 757–763. MIT Press. Cambridge, MA.
- Amigó, J. M., Szczepański, J., Wajnryb, E., and Sanchez-Vives, M. V. (2004). Estimating the entropy rate of spike trains via Lempel-Ziv complexity. *Neural Comput* **16**:717–736.
- Anderson, C. H. and Van Essen, D. C. (1987). Shifter circuits: a computational strategy for dynamic aspects of visual attention. *Proc Natl Acad Sci USA* **84**:6297–6301.
- Asari, H., Olsson, R. K., Pearlmutter, B. A., and Zador, A. M. (2007). Sparsification for monaural source separation. In Makino, S., Lee, T.-W., and Sawada, H., editors, *Blind Speech Separation* chapter 14, pages 387–410. Springer.
- Asari, H., Pearlmutter, B. A., and Zador, A. M. (2006). Sparse representations for the cocktail party problem. *J Neurosci* **26**:7477–7490.

Asari, H. and Zador, A. M. (*in preparation*). Context-dependence and response predictability in rat auditory cortex.

Attias, H. and Schreiner, C. (1997). Temporal low-order statistics of natural sounds. In Mozer, M. C., Jordan, M. I., and Petsche, T., editors, *Adv Neural Info Proc Syst* volume 13 pages 27–33. MIT Press. Cambridge, MA.

Attneave, F. (1954). Informational aspects of visual perception. *Psychol Rev* **61**:183–193.

Averbeck, B. B., Latham, P. E., and Pouget, A. (2006). Neural correlations, population coding and computation. *Nat Rev Neurosci* **7**:358–366.

Baddeley, R., Abbott, L. F., Booth, M. C., Sengpiel, F., Freeman, T., Wakeman, E. A., and Rolls, E. T. (1997). Responses of neurons in primary and inferior temporal visual cortices to natural scenes. *Proc Biol Sci* **264**:1775–1783.

Bar-Yosef, O., Rotman, Y., and Nelken, I. (2002). Responses of neurons in cat primary auditory cortex to bird chirps: effects of temporal and spectral context. *J Neurosci* **22**:8619–8632.

Barbour, D. L. and Wang, X. (2003). Auditory cortical responses elicited in awake primates by random spectrum stimuli. *J Neurosci* **23**:7194–7206.

Barlow, H. (2001). Redundancy reduction revisited. *Network* **12**:241–253.

Barlow, H. B. (1953). Summation and inhibition in the frog's retina. *J Physiol* **119**:69–88.

Barlow, H. B. (1961). Possible principles underlying the transformations of sensory messages. In Rosenblith, W. A., editor, *Sensory Communication* pages 217–234. MIT press.

Barlow, H. B. (1972). Single units and sensation: a neuron doctrine for perceptual psychology? *Perception* **1**:371–394.

Barron, A. R. (1993). Universal approximation bounds for superpositions of a sigmoidal function. *IEEE Transactions on Information Theory* **39**:930–945.

- Bartlett, E. L. and Wang, X. (2005). Long-lasting modulation by stimulus context in primate auditory cortex. *J Neurophysiol* **94**:83–104.
- Baum, L. E. and Petrie, T. (1966). Statistical inference for probabilistic functions of finite state Markov chains. *Ann Math Stat* **37**:1554–1563.
- Baum, L. E., Petrie, T., Soules, G., and Weiss, N. (1970). A maximization technique occurring in the statistical analysis of probabilistic functions of Markov chains. *Ann Math Stat* **41**:164–171.
- Bell, A. J. and Sejnowski, T. J. (1995). An information-maximization approach to blind separation and blind deconvolution. *Neural Comput* **7**:1129–1159.
- Bell, A. J. and Sejnowski, T. J. (1997). The “independent components” of natural scenes are edge filters. *Vision Res* **37**:3327–3338.
- Bellman, R. (1961). *Adaptive Control Processes: A Guided Tour*. Princeton University Press. New Jersey.
- Belouchrani, A., Abed-Meraim, K., Cardoso, J.-F., and Moulines, É. (1997). A blind source separation technique based on second order statistics. *IEEE Trans on Signal Proc* **45**:434–444.
- Belouchrani, A. and Cardoso, J.-F. (1994). Maximum likelihood source separation for discrete sources. In *Proc EUSIPCO* pages 768–771.
- Benaroya, L., Bimbot, F., and Gribonval, R. (2006). Audio source separation with a single sensor. *IEEE Trans Speech Audio Processing* **14**:191–199.
- Benaroya, L., Mc Donagh, L., Bimbot, F., and Gribonval, R. (2003). Non negative sparse representation for wiener based source separation with a single sensor. In *Proc ICASSP* volume 6 pages 613–616. IEEE Press.
- Bialek, W., Rieke, F., de Ruyter van Steveninck, R., and Warland, D. (1991). Reading a neural code. *Science* **252**:1854–1857.

Bofill, P. and Zibulevsky, M. (2001). Underdetermined blind source separation using sparse representations. *Signal Proc* **81**:2353–2362.

Bordi, F. and LeDoux, J. E. (1994a). Response properties of single units in areas of rat auditory thalamus that project to the amygdala. I. Acoustic discharge patterns and frequency receptive fields. *Exp Brain Res* **98**:261–274.

Bordi, F. and LeDoux, J. E. (1994b). Response properties of single units in areas of rat auditory thalamus that project to the amygdala. II. Cells receiving convergent auditory and somatosensory inputs and cells antidromically activated by amygdala stimulation. *Exp Brain Res* **98**:275–286.

Borst, A. and Theunissen, F. (1999). Information theory and neural coding. *Nat Neurosci* **2**:947–957.

Boser, B., Guyon, I., and Vapnik, V. (1992). A training algorithm for optimal margin classifiers. In Haussler, D., editor, *Proceedings of the Fifth Annual Workshop on Computational Learning Theory* pages 144–152. ACM Press.

Bowman, E. M. and Olson, C. R. (1988a). Visual and auditory association areas of the cat's posterior ectosylvian gyrus: cortical afferents. *J Comp Neurol* **272**:30–42.

Bowman, E. M. and Olson, C. R. (1988b). Visual and auditory association areas of the cat's posterior ectosylvian gyrus: thalamic afferents. *J Comp Neurol* **272**:15–29.

Bregman, A. S. (1990). *Auditory Scene Analysis: The Perceptual Organization of Sound*. MIT Press. Cambridge, MA.

Bregman, A. S. (1993). Auditory scene analysis : hearing in complex environments. In McAdams, S. and Bigand, E., editors, *Thinking in Sound: The Cognitive Psychology of Human Audition* chapter 2, pages 10–36. Oxford University Press.

- Bremer, F. and Bonnet, V. (1949). An analysis of the sensory responses of the acoustic cortex. *Electroencephalogr Clin Neurophysiol* **1**:447–449.
- Brenner, N., Bialek, W., and de Ruyter van Steveninck, R. (2000). Adaptive rescaling maximizes information transmission. *Neuron* **26**:695–702.
- Brosch, M. and Schreiner, C. E. (1997). Time course of forward masking tuning curves in cat primary auditory cortex. *J Neurophysiol* **77**:923–943.
- Brosch, M. and Schreiner, C. E. (2000). Sequence sensitivity of neurons in cat primary auditory cortex. *Cereb Cortex* **10**:1155–1167.
- Brown, G. J. and Cooke, M. P. (1994). Computational auditory scene analysis. *Computer Speech and Language* **8**:297–336.
- Burrows, M. and Wheeler, D. J. (1994). A block-sorting lossless data compression algorithm. Technical Report 124, Digital Systems Research Center.
- Bussgang, J. J. (1952). Correlation functions of amplitude distorted gaussian signals. Technical Report 216, MIT Research Laboratory of Electronics.
- Caird, D. and Klinke, R. (1983). Processing of binaural stimuli by cat superior olivary complex neurons. *Exp Brain Res* **52**:385–399.
- Caird, D. and Klinke, R. (1987). Processing of interaural time and intensity differences in the cat inferior colliculus. *Exp Brain Res* **68**:379–392.
- Calford, M. B. (1983). The parcellation of the medial geniculate body of the cat defined by the auditory response properties of single units. *J Neurosci* **3**:2350–2364.
- Calford, M. B. and Semple, M. N. (1995). Monaural inhibition in cat auditory cortex. *J Neurophysiol* **73**:1876–1891.

- Calford, M. B. and Webster, W. R. (1981). Auditory representation within principal division of cat medial geniculate body: an electrophysiology study. *J Neurophysiol* **45**:1013–1028.
- Carandini, M., Demb, J. B., Mante, V., Tolhurst, D. J., Dan, Y., Olshausen, B. A., Gallant, J. L., and Rust, N. C. (2005). Do we know what the early visual system does? *J Neurosci* **25**:10577–10597.
- Carandini, M. and Ferster, D. (1997). A tonic hyperpolarization underlying contrast adaptation in cat visual cortex. *Science* **276**:949–952.
- Carlile, S., Martin, R., and McAnally, K. (2005). Spectral information in sound localization. *Int Rev Neurobiol* **70**:399–434.
- Cauwenberghs, G. (1999). Monaural separation of independent acoustical components. In *Proc ISCAS* volume 5 pages 62–65. IEEE Press.
- Cetas, J. S., Price, R. O., Velenovsky, D. S., Crowe, J. J., Sinex, D. G., and McMullen, N. T. (2002). Cell types and response properties of neurons in the ventral division of the medial geniculate body of the rabbit. *J Comp Neurol* **445**:78–96.
- Chang, C.-C. and Lin, C.-J. (2001). *LIBSVM: A library for support vector machines*. Software available at <http://www.csie.ntu.edu.tw/~cjlin/libsvm>.
- Chen, S. S., Donoho, D. L., and Saunders, M. A. (1998). Atomic decomposition by basis pursuit. *SIAM J Sci Comput* **20**:33–61.
- Chen, Z. and Haykin, S. (2002). On different facets of regularization theory. *Neural Comput* **14**:2791–2846.
- Cherry, E. C. (1953). Some experiments on the recognition of speech, with one and with two ears. *J Acoust Soc Am* **25**:975–979.
- Chichilnisky, E. J. (2001). A simple white noise analysis of neuronal light responses. *Network* **12**:199–213.

- Choi, S., Cichocki, A., Park, H. M., and Lee, S. Y. (2005). Blind source separation and independent component analysis: A review. *Neural Information Processing—Letters and Reviews* **6**:1–57.
- Clarey, J. C., Barone, P., and Imig, T. J. (1992). Physiology of thalamus and cortex. In Popper, E. and Fay, R., editors, *The mammalian auditory pathway: Neurophysiology* chapter 5, pages 232–334. Springer-Verlag. New York.
- Cleary, J. G. and Witten, I. H. (1984). Data compression using adaptive coding and partial string matching. *IEEE Trans Commun* **32**:396–402.
- Cleveland, W. S. (1979). Robust locally weighted regression and smoothing scatterplots. *J Am Statistl Assoc* **74**:829–836.
- Cleveland, W. S. and Devlin, S. J. (1988). Locally weighted regression: An approach to regression analysis by local fitting. *J Am Statistl Assoc* **83**:596–610.
- Cohen, L. (1995). *Time-Frequency Analysis*. Prentice Hall PTR. New Jersey.
- Colavita, F. B., Szeligo, F. V., and Zimmer, S. D. (1974). Temporal pattern discrimination in cats with insular-temporal lesions. *Brain Res* **79**:153–156.
- Comon, P. (1994). Independent component analysis: A new concept? *Signal Processing* **36**:287–314.
- Comon, P., Jutten, C., and Héroult, J. (1991). Blind separation of sources, part II: Problem statement. *Signal Processing* **24**:11–20.
- Condon, C. D. and Weinberger, N. M. (1991). Habituation produces frequency-specific plasticity of receptive fields in the auditory cortex. *Behav Neurosci* **105**:416–430.
- Cooke, M. P. and Brown, G. J. (1993). Computational auditory scene analysis: exploiting principles of perceived continuity. *Speech Communication* **13**:391–399.

- Cover, T. M. and Thomas, J. A. (1991). *Elements of Information Theory*. John Wiley & Sons.
- Crawford, A. C. and Fettiplace, R. (1985). The mechanical properties of ciliary bundles of turtle cochlear hair cells. *J Physiol* **364**:359–379.
- Creutzfeldt, O., Hellweg, F. C., and Schreiner, C. (1980). Thalamocortical transformation of responses to complex auditory stimuli. *Exp Brain Res* **39**:87–104.
- Darwin, C. J., Turvey, M., and Crowder, R. G. (1972). An auditory analogue of the sperling partial report procedure: Evidence for brief auditory storage. *Cogn Psychol* **3**:255–267.
- David, S. V., Vinje, W. E., and Gallant, J. L. (2004). Natural stimulus statistics alter the receptive field structure of V1 neurons. *J Neurosci* **24**:6991–7006.
- Davis, K. A. (2005). Spectral processing in the inferior colliculus. *Int Rev Neurobiol* **70**:169–205.
- Dayan, P. and Abbott, L. F. (2001). *Theoretical Neuroscience : Computational and Mathematical Modeling of Neural Systems*. MIT Press.
- de Boer, R. and Kuyper, P. (1968). Triggered correlation. *IEEE Trans Biomed Eng* **15**:169–179.
- de Ribaupierre, F. (1997). Acoustical information processing in the auditory thalamus and cerebral cortex. In Ehret, G. and Romand, R., editors, *The Central Auditory System* chapter 5, pages 317–397. Oxford University Press.
- de Ruyter van Steveninck, R. and Bialek, W. (1988). Real-time performance of a movement-sensitive neuron in the blowfly visual system: Coding and information transfer in short spike sequences. *Proc R Soc Lond B* **234**:379–414.
- DeAngelis, G. C., Ohzawa, I., and Freeman, R. D. (1993a). Spatiotemporal organization of simple-cell receptive fields in the cat's striate cortex. I. General characteristics and postnatal development. *J Neurophysiol* **69**:1091–1117.

- DeAngelis, G. C., Ohzawa, I., and Freeman, R. D. (1993b). Spatiotemporal organization of simple-cell receptive fields in the cat's striate cortex. II. Linearity of temporal and spatial summation. *J Neurophysiol* **69**:1118–1135.
- deCharms, R. C., Blake, D. T., and Merzenich, M. M. (1998). Optimizing sound features for cortical neurons. *Science* **280**:1439–1443.
- deCharms, R. C. and Zador, A. (2000). Neural representation and the cortical code. *Annu Rev Neurosci* **23**:613–647.
- Depireux, D. A., Simon, J. Z., Klein, D. J., and Shamma, S. A. (2001). Spectro-temporal response field characterization with dynamic ripples in ferret primary auditory cortex. *J Neurophysiol* **85**:1220–1234.
- Descartes, R. (1637). Discours de la méthode.
- DeWeese, M. R., Hromádka, T., and Zador, A. M. (2005). Reliability and representational bandwidth in the auditory cortex. *Neuron* **48**:479–488.
- DeWeese, M. R., Wehr, M., and Zador, A. M. (2003). Binary spiking in auditory cortex. *J Neurosci* **23**:7940–7949.
- Deweese, M. R. and Zador, A. M. (2004). Shared and private variability in the auditory cortex. *J Neurophysiol* **92**:1840–1855.
- Deweese, M. R. and Zador, A. M. (2006). Non-gaussian membrane potential dynamics imply sparse, synchronous activity in auditory cortex. *J Neurosci* **26**:12206–12218.
- Divenyi, P. L., editor (2005). *Speech Separation by Humans and Machines*. Kluwer Academic Publishers. New York, NY.
- Donoho, D. L. and Elad, M. (2003). Optimally sparse representation in general (nonorthogonal) dictionaries via l^1 minimization. *Proc Natl Acad Sci USA* **100**:2197–2202.

- Doron, N. N., Ledoux, J. E., and Semple, M. N. (2002). Redefining the tonotopic core of rat auditory cortex: physiological evidence for a posterior field. *J Comp Neurol* **453**:345–360.
- Duda, R. O., Hart, P. E., and Stork, D. G. (2001). *Pattern Classification*. Wiley Interscience. Second edition.
- Efron, B. (1983). Estimating the error rate of a prediction rule: improvements in cross-validation. *J Am Statistl Assoc* **78**:316–331.
- Eggermont, J. J. (1993). Wiener and Volterra analyses applied to the auditory system. *Hear Res* **66**:177–201.
- Eggermont, J. J. (1998). Representation of spectral and temporal sound features in three cortical fields of the cat. Similarities outweigh differences. *J Neurophysiol* **80**:2743–2764.
- Eggermont, J. J., Johannesma, P. M., and Aertsen, A. M. (1983). Reverse-correlation methods in auditory research. *Q Rev Biophys* **16**:341–414.
- Ehret, G. (1997). The auditory cortex. *J Comp Physiol [A]* **181**:547–557.
- Elhilali, M., Fritz, J. B., Klein, D. J., Simon, J. Z., and Shamma, S. A. (2004). Dynamics of precise spike timing in primary auditory cortex. *J Neurosci* **24**:1159–1172.
- Ellis, D. (2006). Model-based scene analysis. In Wang, D. and Brown, G., editors, *Computational Auditory Scene Analysis: Principles, Algorithms, and Applications*. Wiley/IEEE Press.
- Enrorh-Cugel, C. and Robson, J. G. (1966). The contrast sensitivity of retinal ganglion cells of the cat. *J Physiol* **187**:517–522.
- Ephraim, Y. and Cohen, I. (2006). Recent advancements in speech enhancement. In Dorf, R. C., editor, *The Electrical Engineering Handbook*. CRC Press.
- Escabí, M. A. and Schreiner, C. E. (2002). Nonlinear spectrotemporal sound analysis by neurons in the auditory midbrain. *J Neurosci* **22**:4114–4131.

Farid, H. and Adelson, E. H. (1999). Separating reflections from images by use of independent components analysis. *J Opt Soc Am* **16**:2136–2145.

Fechner, G. (1860). *Elemente der Psychophysik*.

Fischer, S., Redondo, R., Perrinet, L., and Cristóbal, G. (2007). Sparse approximation of images inspired from the functional architecture of the primary visual areas. *EURASIP J Adv Signal Processing*. Article ID 90727, 16 pages.

Fishbach, A., Nelken, I., and Yeshurun, Y. (2001). Auditory edge detection: a neural model for physiological and psychoacoustical responses to amplitude transients. *J Neurophysiol* **85**:2303–2323.

Fishbach, A., Yeshurun, Y., and Nelken, I. (2003). Neural model for physiological responses to frequency and amplitude transitions uncovers topographical order in the auditory cortex. *J Neurophysiol* **90**:3663–3678.

Fishman, Y. I., Arezzo, J. C., and Steinschneider, M. (2004). Auditory stream segregation in monkey auditory cortex: effects of frequency separation, presentation rate, and tone duration. *J Acoust Soc Am* **116**:1656–1670.

Fitch, R. H., Miller, S., and Tallal, P. (1997). Neurobiology of speech perception. *Annu Rev Neurosci* **20**:331–353.

FitzHugh, R. (1961). Impulses and physiological states in theoretical models of nerve membrane. *Biophys J* **1**:445–446.

FitzPatrick, K. A. (1975). Cellular architecture and topographic organization of the inferior colliculus of the squirrel monkey. *J Comp Neurol* **164**:185–207.

Fletcher, H. (1940). Auditory patterns. *Rev Mod Phys* **12**:47–65.

Fletcher, R. (1985). Semidefinite matrix constraints in optimization. *SIAM J Control Opt* **23**:493–513.

- Fritz, J., Shamma, S., Elhilali, M., and Klein, D. (2003). Rapid task-related plasticity of spectrotemporal receptive fields in primary auditory cortex. *Nat Neurosci* **6**:1216–1223.
- Gabbiani, F. (1996). Coding of time-varying signals in spike trains of linear and half-wave rectifying neurons. *Network* **7**:61–85.
- Galambos, R. (1952). Microelectrode studies on medial geniculate body of cat. III. Response to pure tones. *J Neurophysiol* **15**:381–400.
- Galambos, R., Rose, J. E., Bromiley, R. B., and Hughes, J. R. (1952). Microelectrode studies on medial geniculate body of cat. II. Response to clicks. *J Neurophysiol* **15**:359–380.
- Garcia-Lazaro, J. A., Ahmed, B., and Schnupp, J. W. H. (2006). Tuning to natural stimulus dynamics in primary auditory cortex. *Curr Biol* **16**:264–271.
- Gardner, B. and Martin, K. (1994). HRTF measurements of a KEMAR dummy-head microphone. Technical Report 280, MIT Media Lab.
- Gerstner, W. and Kistler, W. M. (2002). *Spiking Neuron Models*. Cambridge University Press. New York.
- Gill, P., Zhang, J., Woolley, S. M. N., Fremouw, T., and Theunissen, F. E. (2006). Sound representation methods for spectro-temporal receptive field estimation. *J Comput Neurosci* **21**:5–20.
- Girolami, M. (2001). A variational method for learning sparse and overcomplete representations. *Neural Comput* **13**:2517–2532.
- Glucksberg, S. and Cowen, G. N. (1970). Memory for nonattended auditory material. *Cogn Psychol* **1**:149–156.
- Gollisch, T. and Herz, A. V. M. (2004). Input-driven components of spike-frequency adaptation can be unmasked *in vivo*. *J Neurosci* **24**:7435–7444.

Griffiths, T. D. and Warren, J. D. (2004). What is an auditory object? *Nat Rev Neurosci* **5**:887–892.

Griffiths, T. D., Warren, J. D., Scott, S. K., Nelken, I., and King, A. J. (2004). Cortical processing of complex sound: a way forward? *Trends Neurosci* **27**:181–185.

Grossberg, S. (1987). Competitive learning: from interactive activation to adaptive resonance. *Cognitive Sci* **11**:23–63.

Hahnloser, R. H., Kozhevnikov, A. A., and Fee, M. S. (2002). An ultra-sparse code underlies the generation of neural sequences in a songbird. *Nature* **419**:65–70.

Hastie, T., Tibshirani, R., and Friedman, J. (2001). *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*. Springer. New York.

He, J., Hashikawa, T., Ojima, H., and Kinouchi, Y. (1997). Temporal integration and duration tuning in the dorsal zone of cat auditory cortex. *J Neurosci* **17**:2615–2625.

He, J. and Hu, B. (2002). Differential distribution of burst and single-spike responses in auditory thalamus. *J Neurophysiol* **88**:2152–2156.

Hecht-Nielsen, R. (1989). Theory of the backpropagation neural network. In *Proc IJCNN* volume 1 pages 593–605 New York. IEEE Press.

Helmholtz, H. (1863). *On the sensation of tone*. Dover. New York. Second English edition.

Hérault, J. and Jutten, C. (1986). Space or time adaptive signal processing by neural network models. In Denker, J. S., editor, *Proc AIP Conf on Neural Networks for Computing* pages 206–211 New York. American Institute of Physics.

Hertz, J., Krogh, A., and Palmer, R. G. (1991). *Introduction to the Theory of Neural Computation*. Addison-Wesley.

Herz, A. V. M., Gollisch, T., Machens, C. K., and Jaeger, D. (2006). Modeling single-neuron dynamics and computations: a balance of detail and abstraction. *Science* **314**:80–85.

Hocherman, S. and Gilat, E. (1981). Dependence of auditory cortex evoked unit activity on interstimulus interval in the cat. *J Neurophysiol* **45**:987–997.

Hochreiter, S. and Mozer, M. C. (2001). Monaural separation and classification of mixed signals: A support-vector regression perspective. In Lee, T.-W., Jung, T.-P., Makeig, S., and Sejnowski, T. J., editors, *Third International Conference on Independent Component Analysis and Blind Signal Separation*. San Diego, CA.

Hodgkin, A. L. and Huxley, A. F. (1952). A quantitative description of membrane current and its application to conduction and excitation in nerve. *J Physiol* **117**:500–544.

Hofman, P. M. and van Opstal, A. J. (2002). Bayesian reconstruction of sound localization cues from responses to random spectra. *Biol Cybern* **86**:305–316.

Hornik, K., Stinchcombe, M., and White, H. (1989). Multilayer feedforward networks are universal approximators. *Neural Networks* **2**:359–366.

Hromádka, T. (2007). *Representation of Sounds in Auditory Cortex of Awake Rats*. PhD thesis Watson School of Biological Sciences, Cold Spring Harbor Laboratory.

Hu, G. and Wang, D. L. (2004). Monaural speech segregation based on pitch tracking and amplitude modulation. *IEEE Trans Neural Networks* **15**:1135–1150.

Hubel, D. H. (1957). Tungsten microelectrode for recording from single units. *Science* **125**:549–550.

Hubel, D. H. and Wiesel, T. N. (1959). Receptive fields of single neurones in the cat's striate cortex. *J Physiol* **148**:574–591.

Hudspeth, A. J. (1989). How the ear's works work. *Nature* **341**:397–404.

- Hudspeth, A. J. (1997). Mechanical amplification of stimuli by hair cells. *Curr Opin Neurobiol* **7**:480–486.
- Huffman, D. A. (1952). A method for the construction of minimum redundancy codes. *Proc IRE* **40**:1098–1101.
- Hunter, I. W. and Korenberg, M. J. (1986). The identification of nonlinear biological systems: Wiener and Hammerstein cascade models. *Biol Cybern* **55**:135–144.
- Hyvärinen, A. and Oja, E. (1997). A fast fixed-point algorithm for independent component analysis. *Neural Comp* **9**:1483–1492.
- Hyvärinen, A. and Oja, E. (2000). Independent component analysis: Algorithms and applications. *Neural Networks* **13**:411–430.
- Irino, T. and Patterson, R. D. (2001). A compressive gammachirp auditory filter for both physiological and psychophysical data. *J Acoust Soc Am* **109**:2008–2022.
- Ito, M., Sakurai, M., and Tongroach, P. (1982). Climbing fibre induced depression of both mossy fibre responsiveness and glutamate sensitivity of cerebellar Purkinje cells. *J Physiol* **324**:113–134.
- Jang, G.-J. and Lee, T.-W. (2003). A maximum likelihood approach to single-channel source separation. *J Mach Learn Res* **4**:1365–1392.
- Jeffress, L. A. (1948). A place theory of sound localization. *J Comp Physiol Psychol* **41**:35–39.
- Jones, E. G. (2003). Chemically defined parallel pathways in the monkey auditory system. *Ann NY Acad Sci* **999**:218–233.
- Jones, J. P. and Palmer, L. A. (1987). The two-dimensional spatial structure of simple receptive fields in cat striate cortex. *J Neurophysiol* **58**:1187–1211.

Joris, P. X., Schreiner, C. E., and Rees, A. (2004). Neural processing of amplitude-modulated sounds. *Physiol Rev* **84**:541–577.

Joris, P. X., Smith, P. H., and Yin, T. C. (1998). Coincidence detection in the auditory system: 50 years after Jeffress. *Neuron* **21**:1235–1238.

Jutten, C. and Héroult, J. (1991). Blind separation of sources, part I: An adaptive algorithm based on neuromimetic architecture. *Signal Processing* **24**:1–10.

Kaas, J. H., Hackett, T. A., and Tramo, M. J. (1999). Auditory processing in primate cerebral cortex. *Curr Opin Neurobiol* **9**:164–170.

Kalman, R. E. (1960a). A new approach to linear filtering and prediction problems. *Trans ASME – J Basic Engineering* **82**:35–45.

Kalman, R. E. (1960b). New results in linear filtering and prediction theory. *Trans ASME – J Basic Engineering* **83**:95–107.

Kandel, E. R., Schwartz, J. H., and Jessel, T. M. (2000). *Principles of Neural Science*. McGraw-Hill. Fourth edition.

Kayser, C., Petkov, C. I., Augath, M., and Logothetis, N. K. (2005). Integration of touch and sound in auditory cortex. *Neuron* **48**:373–384.

Keat, J., Reinagel, P., Reid, R. C., and Meister, M. (2001). Predicting every spike: a model for the responses of visual neurons. *Neuron* **30**:803–817.

Kelly, J. B. (1973). The effects of insular and temporal lesions in cats on two types of auditory pattern discrimination. *Brain Res* **62**:71–87.

Kelly, J. B. (1974). Polysensory cortical lesions and auditory temporal pattern discriminations in the cat. *Brain Res* **80**:317–327.

- Kelly, J. B. and Sally, S. L. (1988). Organization of auditory cortex in the albino rat: binaural response properties. *J Neurophysiol* **59**:1756–1769.
- Kiang, N. Y. and Moxon, E. C. (1974). Tails of tuning curves of auditory-nerve fibers. *J Acoust Soc Am* **55**:620–630.
- Kiang, N. Y., Sachs, M. B., and Peake, W. T. (1967). Shapes of tuning curves for single-auditory nerve fibers. *J Acoust Soc Am* **42**:1341–1342.
- Kiang, N. Y. S. (1975). Stimulus representation in the discharge pattern of auditory neurons. In Tower, D. B., editor, *The Nervous System: Human Communication and its Disorders* pages 81–96. Raven Press. New York.
- King, A. J. and Schnupp, J. W. H. (2007). The auditory cortex. *Curr Biol* **17**:R236–R239.
- Kirkpatrick, S., Gelatt, C. D., and Vecchi, M. P. (1983). Optimization by simulated annealing. *Science* **220**:671–680.
- Klein, D., Konig, P., and Kording, K. P. (2003). Sparse spectrotemporal coding of sounds. *J Appl Signal Proc* **7**:659–667.
- Klein, D. J., Depireux, D. A., Simon, J. Z., and Shamma, S. A. (2000). Robust spectrotemporal reverse correlation for the auditory system: optimizing stimulus design. *J Comput Neurosci* **9**:85–111.
- Knudsen, E. I. and Konishi, M. (1979). Mechanisms of sound localization in the barn owl. *J Comp Physiol* **133**:13–21.
- Kohn, A. (2007). Visual adaptation: physiology, mechanisms, and functional benefits. *J Neurophysiol* **97**:3155–3164.
- Komura, Y., Tamura, R., Uwano, T., Nishijo, H., and Ono, T. (2005). Auditory thalamus integrates visual inputs into behavioral gains. *Nat Neurosci* **8**:1203–1209.

- Konishi, M. (2003). Coding of auditory space. *Annu Rev Neurosci* **26**:31–55.
- Korenberg, M. J. and Hunter, I. W. (1986). The identification of nonlinear biological systems: LNL cascade models. *Biol Cybern* **55**:125–134.
- Korenberg, M. J. and Hunter, I. W. (1996). The identification of nonlinear biological systems: Volterra kernel approaches. *Ann Biomed Eng* **24**:250–268.
- Kowalski, N., Depireux, D. A., and Shamma, S. A. (1996). Analysis of dynamic spectra in ferret primary auditory cortex. II. Prediction of unit responses to arbitrary dynamic spectra. *J Neurophysiol* **76**:3524–3534.
- Kreutz-Delgad, K., Murray, J. F., Rao, B. D., Engan, K., Lee, T.-W., and Sejnowski, T. J. (2003). Dictionary learning algorithms for sparse representation. *Neural Comput* **15**:349–396.
- Kruskal, W. H. and Wallis, W. A. (1952). Use of ranks in one-criterion variance analysis. *J Am Stat Assoc* **47**:583–621.
- Kubovy, M. and Howard, F. P. (1976). Persistence of pitch-segregating echoic memory. *J Exp Psychol* **2**:531–537.
- Kuffler, S. W. (1953). Discharge patterns and functional organization of mammalian retina. *J Neurophysiol* **16**:37–68.
- Kulkarni, A. and Colburn, H. S. (1998). Role of spectral detail in sound-source localization. *Nature* **396**:747–749.
- Langner, G., Albert, M., and Briede, T. (2002). Temporal and spatial coding of periodicity information in the inferior colliculus of awake chinchilla (*Chinchilla laniger*). *Hear Res* **168**:110–130.
- Lapicque, L. (1907). Recherches quantitatives sur l’excitation électrique des nerfs traitée comme une polarization. *J Physiol Pathol Gen* **9**:620–635.

- Latham, P. E. and Nirenberg, S. (2005). Synergy, redundancy, and independence in population codes, revisited. *J Neurosci* **25**:5195–5206.
- Lau, B., Stanley, G. B., and Dan, Y. (2002). Computational subunits of visual cortical neurons revealed by artificial neural networks. *Proc Natl Acad Sci USA* **99**:8974–8979.
- Laughlin, S. B. (2001). Energy as a constraint on the coding and processing of sensory information. *Curr Opin Neurobiol* **11**:475–480.
- Laughlin, S. B. and Sejnowski, T. J. (2003). Communication in neuronal networks. *Science* **301**:1870–1874.
- Lee, D. D. and Seung, H. S. (1999). Learning the parts of objects by non-negative matrix factorization. *Nature* **401**:788–791.
- Lee, D. D. and Seung, H. S. (2001). Algorithms for non-negative matrix factorization. In *Adv Neural Info Proc Syst* volume 13 pages 556–562. MIT Press.
- Lee, T.-W., Lewicki, M. S., Girolami, M., and Sejnowski, T. J. (1999). Blind source separation of more sources than mixtures using overcomplete representations. *IEEE Sign Proc Lett* **4**:87–90.
- Lehky, S. R., Sejnowski, T. J., and Desimone, R. (1992). Predicting responses of nonlinear neurons in monkey striate cortex to complex patterns. *J Neurosci* **12**:3568–3581.
- Lennie, P. (2003). The cost of cortical computation. *Curr Biol* **13**:493–497.
- Levin, A. and Weiss, Y. (2004). User assisted separation of reflections from a single image using a sparsity prior. In Pajdla, T. and Matas, J., editors, *Proc ECCV* volume 1 pages 602–613 Berlin. Springer.
- Levitin, D. J. and Rogers, S. E. (2005). Absolute pitch: perception, coding, and controversies. *Trends Cogn Sci* **9**:26–33.

- Levy, W. B. and Baxter, R. A. (1996). Energy efficient neural codes. *Neural Comput* **8**:531–543.
- Lewicki, M. S. (2002). Efficient coding of natural sounds. *Nat Neurosci* **5**:356–363.
- Lewicki, M. S. and Sejnowski, T. J. (2000). Learning overcomplete representations. *Neural Comput* **12**:337–365.
- Li, P., Guan, Y., Xu, B., and Liu, W. (2006). Monaural speech separation based on computational auditory scene analysis and objective quality assessment of speech. *IEEE Trans Speech Audio Processing* **14**:2014–2023.
- Li, Y., Cichocki, A., and Amari, S. (2004). Analysis of sparse representation and blind source separation. *Neural Comput* **16**:1193–1234.
- Linden, J. F., Liu, R. C., Sahani, M., Schreiner, C. E., and Merzenich, M. M. (2003). Spectrotemporal structure of receptive fields in areas AI and AAF of mouse auditory cortex. *J Neurophysiol* **90**:2660–2675.
- Linsker, R. (1989). An application of the principle of maximum information preservation to linear systems. In Touretzky, D. S., editor, *Adv Neural Info Proc Syst* volume 1 pages 186–194. Morgan-Kaufmann. San Francisco, CA.
- Lyon, R. F. (1982). A computational model of filtering, detection, and compression in the cochlear. In *Proc ICASSP* pages 1282–1285 Paris, France. IEEE Signal Processing Society Press.
- Machens, C., Wehr, M., and Zador, A. M. (2004). Linearity of cortical receptive fields measured with natural sounds. *J Neurosci* **24**:1089–1100.
- Machens, C. K., Gollisch, T., Kolesnikova, O., and Herz, A. V. M. (2005). Testing the efficiency of sensory coding with optimal stimulus ensembles. *Neuron* **47**:447–456.

- MacKay, D. J. C. (2003). *Information Theory, Inference and Learning Algorithms*. Cambridge University Press.
- Mallat, S. G. and Zhang, Z. (1993). Matching pursuits with time-frequency dictionaries. *IEEE Trans on Signal Proc* **41**:3397–3415.
- Malmierca, M. S. (2003). The structure and physiology of the rat auditory system: an overview. *Int Rev Neurobiol* **56**:147–211.
- Malmierca, M. S. and Irvine, D. R. F., editors (2005). *Auditory Spectral Processing*, volume 70 of *Int Rev Neurobiol*. Elsevier.
- Malone, B. J., Scott, B. H., and Semple, M. N. (2002). Context-dependent adaptive coding of interaural phase disparity in the auditory cortex of awake macaques. *J Neurosci* **22**:4625–4638.
- Margrie, T. W., Brecht, M., and Sakmann, B. (2002). In vivo, low-resistance, whole-cell recordings from neurons in the anaesthetized and awake mammalian brain. *Pflugers Arch* **444**:491–498.
- Marmarelis, P. and Marmarelis, V. (1978). *Analysis of Physiological Systems: The White Noise Approach*. Plenum. New York.
- Marmarelis, P. Z. and Naka, K. (1972). White-noise analysis of a neuron chain: an application of the Wiener theory. *Science* **175**:1276–1278.
- Marr, D. (1969). A theory of cerebellar cortex. *J Physiol* **202**:437–470.
- Marr, D. (1982). *Vision: A Computational Investigation into the Human Representation and Processing of Visual Information*. Freeman. New York.
- Masland, R. H. (2001). The fundamental plan of the retina. *Nat Neurosci* **4**:877–886.
- Massaro, D. W. (1972). Preperceptual images, processing time, and perceptual units in auditory perception. *Psychol Rev* **79**:124–145.

McCarthy, J. and Hayes, P. J. (1969). Some philosophical problems from the standpoint of artificial intelligence. *Machine Intelligence* **4**:463–502.

McCulloch, W. S. and Pitts, W. (1943). A logical calculus of the ideas immanent in nervous activity. *Bull Math Biol* **5**:115–133.

Meddis, R. (1986). Simulation of mechanical to neural transduction in the auditory receptor. *J Acoust Soc Am* **79**:702–711.

Meister, M. and Berry, M. J. (1999). The neural code of the retina. *Neuron* **22**:435–450.

Mendelson, J. R., Schreiner, C. E., and Sutter, M. L. (1997). Functional topography of cat primary auditory cortex: response latencies. *J Comp Physiol [A]* **181**:615–633.

Mendelson, J. R., Schreiner, C. E., Sutter, M. L., and Grasse, K. L. (1993). Functional topography of cat primary auditory cortex: responses to frequency-modulated sweeps. *Exp Brain Res* **94**:65–87.

Mercer, J. (1909). Functions of positive and negative type and their connection with the theory of integral equations. *Philosophical Transactions of the Royal Society, London A* **209**:415–446.

Merzenich, M. M., Knight, P. L., and Roth, G. L. (1973). Cochleotopic organization of primary auditory cortex in the cat. *Brain Res* **63**:343–346.

Merzenich, M. M., Knight, P. L., and Roth, G. L. (1975). Representation of cochlea within primary auditory cortex in the cat. *J Neurophysiol* **38**:231–249.

Micheyl, C., Tian, B., Carlyon, R. P., and Rauschecker, J. P. (2005). Perceptual organization of tone sequences in the auditory cortex of awake macaques. *Neuron* **48**:139–148.

Miller, L. M., Escabí, M. A., Read, H. L., and Schreiner, C. E. (2001). Functional convergence of response properties in the auditory thalamocortical system. *Neuron* **32**:151–160.

- Miller, L. M., Escabí, M. A., Read, H. L., and Schreiner, C. E. (2002). Spectrotemporal receptive fields in the lemniscal auditory thalamus and cortex. *J Neurophysiol* **87**:516–527.
- Minsky, M. and Papert, S. (1969). *Perceptrons*. MIT Press. Cambridge, MA.
- Moiseff, A. and Konishi, M. (1981). Neuronal and behavioral sensitivity to binaural time differences in the owl. *J Neurosci* **1**:40–48.
- Moore, B. C. and Glasberg, B. R. (1983). Suggested formulae for calculating auditory-filter bandwidths and excitation patterns. *J Acoust Soc Am* **74**:750–753.
- Movshon, J. A., Thompson, I. D., and Tolhurst, D. J. (1978). Spatial summation in the receptive fields of simple cells in the cat's striate cortex. *J Physiol* **283**:53–77.
- Nagumo, J., Arimoto, S., and Yoshizawa, S. (1964). An active pulse transmission line simulating nerve axon. *Proc IRE* **50**:2061–2070.
- Nakatani, T. and Okuno, H. G. (1999). Harmonic sound stream segregation using localization and its application to speech stream segregation. *Speech Communication* **27**:209–222.
- Neisser, U. (1967). *Cognitive Psychology*. Meredith. New York.
- Nelken, I. (2004). Processing of complex stimuli and natural scenes in the auditory cortex. *Curr Opin Neurobiol* **14**:474–480.
- Nelken, I., Fishbach, A., Las, L., Ulanovsky, N., and Farkas, D. (2003). Primary auditory cortex of cats: feature detection or something else? *Biol Cybern* **89**:397–406.
- Nelken, I., Rotman, Y., and Bar-Yosef, O. (1999). Responses of auditory-cortex neurons to structural features of natural sounds. *Nature* **397**:154–157.
- Nelles, O. (2001). *Nonlinear System Identification*. Springer.
- Nirenberg, S. and Latham, P. E. (2003). Decoding neuronal spike trains: how important are correlations? *Proc Natl Acad Sci USA* **100**:7348–7353.

Nishino, T., Nakai, Y., Takeda, K., and Itakura, F. (2001). Estimating head related transfer function using multiple regression analysis. *IEICE Trans A* **J84-A**:260–268. (in Japanese).

Nykamp, D. Q. and Ringach, D. L. (2002). Full identification of a linear-nonlinear system via cross-correlation analysis. *J Vis* **2**:1–11.

O'Connor, K. N., Petkov, C. I., and Sutter, M. L. (2005). Adaptive stimulus optimization for auditory cortical neurons. *J Neurophysiol* **94**:4051–4067.

Oertel, D. (1991). The role of intrinsic neuronal properties in the encoding of auditory information in the cochlear nuclei. *Curr Opin Neurobiol* **2**:449–456.

O'Grady, P. D., Pearlmutter, B. A., and Rickard, S. T. (2005). Survey of sparse and non-sparse methods in source separation. *International Journal of Imaging Systems and Technology* **15**:18–33. Special Issue: Blind Source Separation and De-convolution in Imaging and Image Processing.

Ohki, K., Chung, S., Ch'ng, Y. H., Kara, P., and Reid, R. C. (2005). Functional imaging with cellular resolution reveals precise micro-architecture in visual cortex. *Nature* **433**:597–603.

Ohki, K., Chung, S., Kara, P., Hübener, M., Bonhoeffer, T., and Reid, R. C. (2006). Highly ordered arrangement of single neurons in orientation pinwheels. *Nature* **442**:925–928.

Olshausen, B. A. (2002). Sparse codes and spikes. In Rao, R. P. N., Olshausen, B. A., and Lewicki, M. S., editors, *Probabilistic Models of the Brain: Perception and Neural Function* pages 257–272. MIT Press. Cambridge, MA.

Olshausen, B. A., Anderson, C. H., and Van Essen, D. C. (1993). A neurobiological model of visual attention and invariant pattern recognition based on dynamic routing of information. *J Neurosci* **13**:4700–4719.

- Olshausen, B. A., Anderson, C. H., and Van Essen, D. C. (1995). A multiscale dynamic routing circuit for forming size- and position-invariant object representations. *J Comput Neurosci* **2**:45–62.
- Olshausen, B. A. and Field, D. J. (1996). Emergence of simple-cell receptive field properties by learning a sparse code for natural images. *Nature* **381**:607–609.
- Olshausen, B. A. and Field, D. J. (1997). Sparse coding with an overcomplete basis set: a strategy employed by V1? *Vision Res* **37**:3311–3325.
- Olshausen, B. A. and Field, D. J. (2004). Sparse coding of sensory inputs. *Curr Opin Neurobiol* **14**:481–487.
- Olshausen, B. A. and O’Connor, K. N. (2002). A new window on sound. *Nat Neurosci* **5**:292–293.
- Oxenham, A. J. (2001). Forward masking: Adaptation or integration? *J Acoust Soc Am* **109**:732–741.
- Palmer, A. R. (2004). Reassessing mechanisms of low-frequency sound localisation. *Curr Opin Neurobiol* **14**:457–460.
- Palmer, S. E. (1999). *Vision science: Photons to phenomenology*. Bradford Books/MIT Press. Cambridge, MA.
- Paninski, L. (2003a). Convergence properties of three spike-triggered analysis techniques. *Network* **14**:437–464.
- Paninski, L. (2003b). Estimation of entropy and mutual information. *Neural Comput* **15**:1191–1253.
- Paninski, L., Pillow, J., and Simoncelli, E. (2005). Comparing integrate-and-fire models estimated using intracellular and extracellular data. *Neurocomputing* **65–66**:379–385.

Paninski, L., Pillow, J. W., and Simoncelli, E. P. (2004). Maximum likelihood estimation of a stochastic integrate-and-fire neural encoding model. *Neural Comput* **16**:2533–2561.

Pascal, B. (1670). *Pensées*.

Patterson, R. D. (1974). Auditory filter shape. *J Acoust Soc Am* **55**:802–809.

Patterson, R. D. and Holdsworth, J. (1996). A functional model of neural activity patterns and auditory images. In Ainsworth, W. A., editor, *Advances in Speech, Hearing and Language Processing* volume 3. JAI Press. London.

Pearlmutter, B. A. and Olsson, R. K. (2006). Linear program differentiation for single-channel speech separation. In *International Workshop on Machine Learning for Signal Processing* Maynooth, Ireland. IEEE Press.

Pei, X., Volgushev, M., Vidyasagar, T. R., and Creutzfeldt, O. D. (1991). Whole cell recording and conductance measurements in cat visual cortex in-vivo. *Neuroreport* **2**:485–488.

Penfield, W. and Rasmussen, T. (1950). *The Cerebral Cortex of Man*. Macmillan. New York.

Perrinet, L. (2004). Feature detection using spikes: The greedy approach. *J Physiol-Paris* **98**:530–539.

Phillips, D. P. (1985). Temporal response features of cat auditory cortex neurons contributing to sensitivity to tones delivered in the presence of continuous noise. *Hear Res* **19**:253–268.

Phillips, D. P. and Hall, S. E. (1990). Response timing constraints on the cortical representation of sound time structure. *J Acoust Soc Am* **88**:1403–1311.

Phillips, D. P. and Irvine, D. R. (1981). Responses of single neurons in physiologically defined primary auditory cortex (AI) of the cat: frequency tuning and responses to intensity. *J Neurophysiol* **45**:48–58.

- Pillow, J. W., Paninski, L., Uzzell, V. J., Simoncelli, E. P., and Chichilnisky, E. J. (2005). Prediction and decoding of retinal ganglion cell responses with a probabilistic spiking model. *J Neurosci* **25**:11003–11013.
- Pillow, J. W. and Simoncelli, E. P. (2006). Dimensionality reduction in neural models: An information-theoretic generalization of spike-triggered average and covariance analysis. *J Vis* **6**:414–428.
- Polley, D. B., Read, H. L., Storace, D. A., and Merzenich, M. M. (2007). Multi-parametric auditory receptive field organization across five cortical fields in the albino rat. *J Neurophysiol* **97**:3621–3638.
- Popper, K. (1934). *Logik der Forschung*. Springer. Vienna. Amplified English edition. Popper, K. (1959) *The Logic of Scientific Discovery*. Basic Books. New York.
- Pouget, A., Dayan, P., and Zemel, R. S. (2000). Information processing with population codes. *Nat Rev Neurosci* **1**:125–132.
- Pouget, A., Dayan, P., and Zemel, R. S. (2003). Inference and computation with population codes. *Annu Rev Neurosci* **26**:381–410.
- Prenger, R., Wu, M. C.-K., David, S. V., and Gallant, J. L. (2004). Nonlinear V1 responses to natural scenes revealed by neural network analysis. *Neural Networks* **17**:663–679.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. (1992). *Numerical recipes in C*. Cambridge University Press. Second edition.
- Rabiner, L. R. (1989). A tutorial on hidden Markov models and selected applications in speech recognition. *Proc IEEE* **77**:257–286.
- Radfar, M. H., Dansereau, R. M., and Sayadiyan, A. (2006). A joint probabilistic-deterministic approach using source-filter modeling of speech signals for single channel speech separation. In *Proc MSLP* pages 47–52 Maynooth, Ireland.

- Rauschecker, J. P. and Tian, B. (2000). Mechanisms and streams for processing of “what” and “where” in auditory cortex. *Proc Natl Acad Sci USA* **97**:11800–11806.
- Read, H. L., Miller, L. M., Escabí, M. A., Schreiner, C. E., and Winer, J. A. (2004). Ventral medial geniculate nucleus contains functionally and anatomically distinct compartments. *Assoc Res Otolaryngol Abs* **27**:1457.
- Read, H. L., Winer, J. A., and Schreiner, C. E. (2002). Functional architecture of auditory cortex. *Curr Opin Neurobiol* **12**:433–440.
- Reid, R. C. and Shapley, R. M. (1992). Spatial structure of cone inputs to receptive fields in primate lateral geniculate nucleus. *Nature* **356**:716–718.
- Reyes-Gomez, M. J., Ellis, D., and Jojic, N. (2004). Multiband audio modeling for single channel acoustic source separation. In *Proc ICASSP* volume 5 pages 641–644.
- Rickard, S. T. and Dietrich, F. (2000). DOA estimation of many W-disjoint orthogonal sources from two mixtures using DUET. In Jemison, B., editor, *Proc SSAP* volume 5 pages 311–314 Pocono Manor, PA. IEEE Press.
- Rieke, F., Warland, D., Steveninck, R. R., and Bialek, W. (1997). *Spikes: Exploring the Neural Code*. MIT Press.
- Riesenhuber, M. and Poggio, T. (2000). Models of object recognition. *Nat Neurosci* **3**:1199–1204.
- Ringach, D. and Shapley, R. (2004). Reverse correlation in neurophysiology. *Cognitive Science* **28**:147–166.
- Ringach, D. L. (2004). Mapping receptive fields in primary visual cortex. *J Physiol* **558**:717–728.
- Ringach, D. L., Sapiro, G., and Shapley, R. (1997). A subspace reverse-correlation technique for the study of visual neurons. *Vision Res* **37**:2455–2464.

- Rissanen, J. (1983). A universal prior for integers and estimation by minimum description length. *Ann Stat* **11**:416–431.
- Rissanen, J. (1986). Stochastic complexity and modeling. *Ann Stat* **14**:1080–1100.
- Rose, J. E. and Galambos, R. (1952). Microelectrode studies on medial geniculate body of cat. I. Thalamic region activated by click stimuli. *J Neurophysiol* **15**:345–357.
- Rosenblatt, F. (1958). The perceptron: a probabilistic model for information storage and organization in the brain. *Psychol Rev* **65**:386–408.
- Rostron, A. B. (1974). Brief auditory storage: Some further observations. *Acta Psychol* **38**:471–482.
- Rotman, Y., Bar-Yosef, O., and Nelken, I. (2001). Relating cluster and population responses to natural sounds and tonal stimuli in cat primary auditory cortex. *Hear Res* **152**:110–127.
- Roweis, S. (2000). One microphone source separation. In Leen, T. K., Dietterich, T. G., and Tresp, V., editors, *Adv Neural Info Proc Syst* volume 13 pages 793–799. MIT Press. Cambridge, MA.
- Roweis, S. and Ghahramani, Z. (1999). A unifying review of linear gaussian models. *Neural Comput* **11**:305–345.
- Rumelhart, D. E., Hinton, G. E., and Williams, R. J. (1986). Learning representations by back-propagating errors. *Nature* **323**:533–536.
- Rust, N. C. and Movshon, J. A. (2005). In praise of artifice. *Nat Neurosci* **8**:1647–1650.
- Rust, N. C., Schwartz, O., Movshon, J. A., and Simoncelli, E. P. (2005). Spatiotemporal elements of macaque V1 receptive fields. *Neuron* **46**:945–956.
- Ryan, A. and Miller, J. (1978). Single unit responses in the inferior colliculus of the awake and performing rhesus monkey. *Exp Brain Res* **32**:389–407.

- Sahani, M. and Linden, J. F. (2003). How linear are auditory cortical responses? In Becker, S., Thrun, S., and Obermeyer, K., editors, *Adv Neural Info Proc Syst* volume 15 pages 109–116. MIT Press.
- Sally, S. L. and Kelly, J. B. (1988). Organization of auditory cortex in the albino rat: sound frequency. *J Neurophysiol* **59**:1627–1638.
- Salomon, D. (2006). *Data Compression: The Complete Reference*. Springer. Fourth edition.
- Sanchez-Vives, M. V., Nowak, L. G., and McCormick, D. A. (2000a). Cellular mechanisms of long-lasting adaptation in visual cortical neurons *in vitro*. *J Neurosci* **20**:4286–4299.
- Sanchez-Vives, M. V., Nowak, L. G., and McCormick, D. A. (2000b). Membrane mechanisms underlying contrast adaptation in cat area 17 *in vivo*. *J Neurosci* **20**:4267–4285.
- Schmidt, M. N. and Olsson, R. K. (2006). Single-channel speech separation using sparse non-negative matrix factorization. In *Interspeech 2006, ICSLP*.
- Schneidman, E., Bialek, W., and Berry, M. J. (2003). Synergy, redundancy, and independence in population codes. *J Neurosci* **23**:11539–11553.
- Schölkopf, B., Smola, A., Williamson, R. C., and Bartlett, P. L. (2000). New support vector algorithms. *Neural Comput* **12**:1207–1245.
- Schreiner, C. E. and Cynader, M. S. (1984). Basic functional organization of second auditory cortical field (AII) of the cat. *J Neurophysiol* **51**:1284–1305.
- Schreiner, C. E. and Mendelson, J. R. (1990). Functional topography of cat primary auditory cortex: distribution of integrated excitation. *J Neurophysiol* **64**:1442–1459.
- Schreiner, C. E., Mendelson, J. R., and Sutter, M. L. (1992). Functional topography of cat primary auditory cortex: representation of tone intensity. *Exp Brain Res* **92**:105–122.

- Schreiner, C. E., Read, H. L., and Sutter, M. L. (2000). Modular organization of frequency integration in primary auditory cortex. *Annu Rev Neurosci* **23**:501–529.
- Schwartz, O., Chichilnisky, E. J., and Simoncelli, E. P. (2002). Characterizing neural gain control using spike-triggered covariance. In Dietterich, T. G., Becker, S., and Ghahramani, Z., editors, *Adv Neural Info Proc Syst* volume 14 pages 269–276. MIT Press.
- Schwartz, O., Hsu, A., and Dayan, P. (2007). Space and time in visual context. *Nat Rev Neurosci* **8**:522–535.
- Schwartz, O. and Simoncelli, E. P. (2001). Natural signal statistics and sensory gain control. *Nat Neurosci* **4**:819–825.
- Schwarz, G. E. (1978). Estimating the dimension of a model. *Ann Stat* **6**:461–464.
- Sellick, P. M., Patuzzi, R., and Johnstone, B. M. (1982). Measurement of basilar membrane motion in the guinea pig using the Mössbauer technique. *J Acoust Soc Am* **72**:131–141.
- Sen, K., Theunissen, F. E., and Doupe, A. J. (2001). Feature analysis of natural sounds in the songbird auditory forebrain. *J Neurophysiol* **86**:1445–1458.
- Seneff, S. (1988). A joint synchrony/mean-rate model of auditory speech processing. *Journal of Phonetics* **16**:55–76.
- Shamma, S. (2001). On the role of space and time in auditory processing. *Trends Cogn Sci* **5**:340–348.
- Shannon, C. E. (1948). A mathematical theory of communication. *Bell System Technical Journal* **27**:379–423, 623–656.
- Sharma, J., Angelucci, A., and Sur, M. (2000). Induction of visual orientation modules in auditory cortex. *Nature* **404**:841–847.

Sharpee, T., Rust, N. C., and Bialek, W. (2004). Analyzing neural responses to natural signals: maximally informative dimensions. *Neural Comput* **16**:223–250.

Sharpee, T. O., Sugihara, H., Kurgansky, A. V., Rebrik, S. P., Stryker, M. P., and Miller, K. D. (2006). Adaptive filtering enhances information transmission in visual cortex. *Nature* **439**:936–942.

Simoncelli, E. P. and Olshausen, B. A. (2001). Natural image statistics and neural representation. *Annu Rev Neurosci* **24**:1193–1216.

Simoncelli, E. P., Pillow, J., Paninski, L., and Schwartz, O. (2004). Characterization of neural responses with stochastic stimuli. In Gazzaniga, M., editor, *The Cognitive Neurosciences III* chapter 23, pages 327–338. MIT Press.

Skottun, B. C., Shackleton, T. M., Arnott, R. H., and Palmer, A. R. (2001). The ability of inferior colliculus neurons to signal differences in interaural delay. *Proc Natl Acad Sci USA* **98**:14050–14054.

Slaney, M. (1993). An efficient implementation of the Patterson-Holdsworth auditory filter bank. Technical Report 35, Apple Computer.

Smaragdis, P. (2004). Non-negative matrix factor deconvolution; extraction of multiple sound sources from monophonic inputs. In Puntonet, C. G. and Prieto, A., editors, *Fifth International Conference on Independent Component Analysis* pages 494–499. Springer.

Smaragdis, P. (2007). Convolutional speech bases and their application to supervised speech separation. *IEEE Trans Speech Audio Processing* **15**:1–12.

Smith, C. U. M. (2000). *Biology of Sensory Systems*. John Wiley & Sons.

Smith, E. and Lewicki, M. S. (2005). Efficient coding of time-relative structure using spikes. *Neural Comput* **17**:19–45.

- Smith, E. C. and Lewicki, M. S. (2006). Efficient auditory coding. *Nature* **439**:978–982.
- Smola, A., Schölkopf, B., and Müller, K. (1998). The connection between regularization operators and support vector kernels. *Neural Networks* **11**:637–649.
- Smola, A. J. and Schölkopf, B. (2004). A tutorial on support vector regression. *Statistics and Computing* **14**:199–222.
- Stanley, G. B. (2002). Adaptive spatiotemporal receptive field estimation in the visual pathway. *Neural Comput* **14**:2925–2946.
- Stanley, G. B., Li, F. F., and Dan, Y. (1999). Reconstruction of natural scenes from ensemble responses in the lateral geniculate nucleus. *J Neurosci* **19**:8036–8042.
- Stevens, C. F. and Zador, A. M. (1998). Novel integrate-and-fire-like model of repetitive firing in cortical neurons. In *Proceeding of the Fifth Joint Symposium Neural Computation*. UCSD.
- Stevens, S. S. (1956). The direct estimation of sensory magnitudes: loudness. *Am J Psych* **69**:1–25.
- Stevens, S. S., Volkman, J., and Newman, E. B. (1937). A scale for the measurement of the psychological magnitude pitch. *J Acoust Soc Am* **8**:185–190.
- Stone, M. (1974). Cross-validatory choice and assessment of statistical predictions. *Journal of Royal Statistical Society* **B36**:111–147.
- Stork, D. G. (1989). Is backpropagation biologically plausible? In *Proc IJCNN* pages II241–246. IEEE Press. New York.
- Stosiek, C., Garaschuk, O., Holthoff, K., and Konnerth, A. (2003). *In vivo* two-photon calcium imaging of neuronal networks. *Proc Natl Acad Sci USA* **100**:7319–7324.
- Strang, G. (1988). *Linear algebra and its applications*. Thomson Brooks/Cole. Belmont, CA. Third edition.

- Strong, S. P., Koberle, R., de Ruyter van Steveninck, R. R., and Bialek, W. (1998). Entropy and information in neural spike trains. *Phys Rev Lett* **80**:197–200.
- Suga, N. and Ma, X. (2003). Multiparametric corticofugal modulation and plasticity in the auditory system. *Nat Rev Neurosci* **4**:783–794.
- Suga, N., Xiao, Z., Ma, X., and Ji, W. (2002). Plasticity and corticofugal modulation for hearing in adult animals. *Neuron* **36**:9–18.
- Sutter, M. L. (2000). Shapes and level tolerances of frequency tuning curves in primary auditory cortex: quantitative measures and population codes. *J Neurophysiol* **84**:1012–1025.
- Svoboda, K., Denk, W., Kleinfeld, D., and Tank, D. W. (1997). *In vivo* dendritic calcium dynamics in neocortical pyramidal neurons. *Nature* **385**:161–165.
- Tan, A. Y. Y., Zhang, L. I., Merzenich, M. M., and Schreiner, C. E. (2004). Tone-evoked excitatory and inhibitory synaptic conductances of primary auditory cortex neurons. *J Neurophysiol* **92**:630–643.
- Tarca, A. L., Carey, V. J., Chen, X.-W., Romero, R., and Drăghici, S. (2007). Machine learning and its applications to biology. *PLoS Comput Biol* **3**:953–963.
- Theunissen, F. E., David, S. V., Singh, N. C., Hsu, A., Vinje, W. E., and Gallant, J. L. (2001). Estimating spatio-temporal receptive fields of auditory and visual neurons from their responses to natural stimuli. *Network* **12**:289–316.
- Theunissen, F. E., Sen, K., and Doupe, A. J. (2000). Spectral-temporal receptive fields of nonlinear auditory neurons obtained using natural sounds. *J Neurosci* **20**:2315–2331.
- Thorburn, W. M. (1918). The myth of Occam’s Razor. *Mind* **27**:345–353.
- Tolhurst, D. J. and Dean, A. F. (1990). The effects of contrast on the linearity of spatial summation of simple cells in the cat’s striate cortex. *Exp Brain Res* **79**:582–588.

- Touryan, J., Lau, B., and Dan, Y. (2002). Isolation of relevant visual features from random stimuli for cortical complex cells. *J Neurosci* **22**:10811–10818.
- Triesman, A. M. and Rostron, A. B. (1972). Brief auditory storage: A modification of Sperling's paradigm applied to audition. *Acta Psychol* **36**:161–170.
- Tsodyks, M. V. and Markram, H. (1997). The neural code between neocortical pyramidal neurons depends on neurotransmitter release probability. *Proc Natl Acad Sci USA* **94**:719–723.
- Tunturi, A. R. (1944). Audio frequency localization in the acoustic cortex of the dog. *Am J Physiol* **141**:397–403.
- Ulanovsky, N., Las, L., Farkas, D., and Nelken, I. (2004). Multiple time scales of adaptation in auditory cortex neurons. *J Neurosci* **24**:10440–10453.
- Ulanovsky, N., Las, L., and Nelken, I. (2003). Processing of low-probability sounds by cortical neurons. *Nat Neurosci* **6**:391–398.
- Valentine, P. A. and Eggermont, J. J. (2004). Stimulus dependence of spectrotemporal receptive fields in cat primary auditory cortex. *Hear Res* **196**:119–133.
- van Hateren, J. H. and Ruderman, D. L. (1998). Independent component analysis of natural image sequences yields spatio-temporal filters similar to simple cells in primary visual cortex. *Proc Biol Sci* **265**:2315–2320.
- van Lint, J. H. (1992). *Introduction to Coding Theory*. Springer-Verlag. New York.
- Vapnik, V. (1995). *The Nature of Statistical Learning Theory*. Springer-Verlag. New York.
- Vapnik, V. and Chervonenkis, A. (1971). On the uniform convergence of relative frequencies of events to their probabilities. *Theory of Probability and its Applications* **16**:264–280.

Victor, J. (1992). Nonlinear systems analysis in vision: Overview of kernel methods. In Pinter, R. and Nabet, B., editors, *Nonlinear vision: Determination of neural receptive fields, function and networks* pages 1–37. CRC Press.

Victor, J. D. (2002). Binless strategies for estimation of information from neural data. *Phys Rev E Stat Nonlin Soft Matter Phys* **66**:051903.

Victor, J. D. (2005). Analyzing receptive fields, classification images and functional images: challenges with opportunities for synergy. *Nat Neurosci* **8**:1651–1656.

Vinje, W. E. and Gallant, J. L. (2000). Sparse coding and decorrelation in primary visual cortex during natural vision. *Science* **287**:1273–1276.

Volterra, V. (1930). *Theory of Functionals and of Integro-Differential Equations*. Dover. New York.

Warland, D. K., Reinagel, P., and Meister, M. (1997). Decoding visual information from a population of retinal ganglion cells. *J Neurophysiol* **78**:2336–2350.

Weber, E. H. (1846). Der tastsinn und das gemeingefühl. In Wagner, R., editor, *Handwörterbuch der Physiologie* volume 3 pages 481–588, 709–728. Vieweg. Braunschweig.

Wehr, M. and Zador, A. M. (2003). Balanced inhibition underlies tuning and sharpens spike timing in auditory cortex. *Nature* **426**:442–446.

Wehr, M. and Zador, A. M. (2005). Synaptic mechanisms of forward suppression in rat auditory cortex. *Neuron* **47**:437–445.

Weinberger, N. M. (2004). Specific long-term memory traces in primary auditory cortex. *Nat Rev Neurosci* **5**:279–290.

Welch, T. A. (1984). A technique for high-performance data compression. *Computer* **17**:8–19.

- Wenzel, E. M., Arruda, M., Kistler, D. J., and Wightman, F. L. (1993). Localization using nonindividualized head-related transfer functions. *J Acoust Soc Am* **94**:111–123.
- Widrow, B. and Hoff, M. E. (1960). Adaptive switching circuits. In *IRE WESCON* volume 4 pages 96–104. Convention record. New York.
- Wiener, N. (1958). *Nonlinear Problems in Random Theory*. Wiley. New York.
- Wightman, F. L. and Kistler, D. J. (1989). Headphone simulation of free-field listening. II: Psychophysical validation. *J Acoust Soc Am* **85**:868–878.
- Winer, J. A. (1985). The medial geniculate body of the cat. *Adv Anat Embryol Cell Biol* **86**:1–97.
- Winer, J. A., Kelly, J. B., and Larue, D. T. (1999). Neural architecture of the rat medial geniculate body. *Hear Res* **130**:19–41.
- Winer, J. A., Miller, L. M., Lee, C. C., and Schreiner, C. E. (2005). Auditory thalamocortical transformation: structure and function. *Trends Neurosci* **28**:255–263.
- Woolsey, C. N. and Walzl, E. M. (1942). Topical projection of nerve fibers from local regions of the cochlea to the cerebral cortex of the cat. *Bull Johns Hopkins Hosp* **71**:315–344.
- Wu, M. C.-K., David, S. V., and Gallant, J. L. (2006). Complete functional characterization of sensory neurons by system identification. *Annu Rev Neurosci* **29**:477–505.
- Yost, W. A., Dye Jr., R. H., and Sheft, S. (1996). A simulated “cocktail party” with up to three sound sources. *Percept Psychophys* **58**:1026–1036.
- Young, E. D. (1984). Response characteristics of neurons of the cochlear nuclei. In Berlin, C. I., editor, *Hearing Science: Recent Advances* pages 423–460. College-Hill Press. San Diego.
- Zatorre, R. J. (2003). Absolute pitch: a model for understanding the influence of genes and development on neural and cognitive function. *Nat Neurosci* **6**:692–695.

Zhang, L. I., Tan, A. Y. Y., Schreiner, C. E., and Merzenich, M. M. (2003). Topography and synaptic shaping of direction selectivity in primary auditory cortex. *Nature* **424**:201–205.

Zibulevsky, M. and Pearlmutter, B. A. (2001). Blind source separation by sparse decomposition in a signal dictionary. *Neural Comput* **13**:863–882.

Ziv, J. and Lempel, A. (1977). A universal algorithm for sequential data compression. *IEEE Trans Inf Theory* **23**:337–343.

Ziv, J. and Lempel, A. (1978). Compression of individual sequences via variable-rate coding. *IEEE Trans Inf Theory* **24**:530–536.

Zong, C. (1999). *Sphere Packings*. Springer-Verlag. New York.